


Ground floor plan - windows and doors schedule

0.

Notes:

- 1. Refer to documents:
- 120623-ASH-04 &120623-ASH-05 for door and windows schedule.
- 2. Refer to drawing 120623-ASH-03 for facades
- 3. All dimensions (windows and doors dimensions) are
- 4. All doors and windows are installed in wood frame walls except for D17 & W24, which are installed in between of steel structure members.
- 5. Typical gap around door / windows:
- right/left: 10-25m,
- top: 10-25mm,
- bottom: 10.
- 6. All facades are to be installed outside steel frame
- 7. Skylight is to be installed on top of small concrete
- 8. Skylight is to be made of aluminium (RAL9005) with equal division as shown.
- 9. Skylight glazed unit are to be:
 double glazed units U.N.O.,
- 15-30% gloss (SGG Cool-Lite 154 II, by Saint-Gobain Glass or alternative),
- low "E" argon filled (90%) glazing units with U-factor <=1.2W/m2K.
- 10. Refer to architectural and structura drawings for other dimensions not shown on this drawing.

Umhverfis- og tæknisvið Uppsveita 2 1. nov. 2019 MÓTTEKIÐ





Vesthellinga 19 Street Oslo City

State/Country Norway Postal Code

20210118

Project Title

Hvitarnes

Project Number

120623

Drawing Name

Ground floor plan - windows and doors schedule

Drawing Status

Final set

Date Drawn by 07-09-2014 DD

Checked by BB & OB

Drawing Scale

Layout ID

Status ASH-01 SHalld 1/11 29 19.

Revision

0

Date