


Skipulags- og byggingarfulltrúi Uppsveita bs.
Yfirfarið
 15 JAN 2015
Alf Guðni Þórn
 Bygginguulltrúi

GERÐ EININGAR	FJOLDI	EINING NR.
28/472	1	U103
ÞYNGD INNRA (L) YTRA (L)	RJÓMI (L)	MARMARI (L)
7.22 1807	1061	
ALLMENNAR UPPLÝSINGAR, ÚTVEGGIR		
Staðlar:	ÍST EN 206, FS EN 1991, FS EN 1992, FS ENV 10080, ÍST EN 13369, ÍST EN 14992	
Þrýstipól Steypu fck=	Forsteyptar steinsteypuvörur-Veggeiningar	
Burðareining:	C30	
Steypugerð:	Kápa: C25	
Burðareining:	SUS	
Kápa:	úti	
Bendistál:	B500B	
Togþol bendistáls ftk=	540 MPa	
Flotmark bendistáls fyk=	500 MPa	
Frávik:	+0/-5 mm	
Huta:	Burðareining: min: 15mm	
	Kápa: 25 mm	
Einangrun:	Steinnull 60kg/m ³	
Meðhöndlun yforborð:	Pússað	
Áferð ofan í borði:	Marmari	
	Marmari	
Annad:	RE160	



IHLUTIR			
TEG.	STK	LÝSING	TILVÍSUN
0262	15	VS120 Tengilykkjur	
0514	4.3	VP 16	
0515	8.0	VP 20	
0801	2	Rofados	
0802	1	Veggljos	
0803	1	Rd tvöföld	
0804	1	Rd þreföld	

JÄRNBENDING							
HLUT.NR.	STK	GÆÐI	Ø	HLUT.NR.	STK	GÆÐI	Ø
K189	79.9	Ks500S	6	3070	2	Ks500S	10
3070	4	Ks500S	12	3175	2	Ks500S	12
3175	4	Ks500S	16	3190	2	Ks500S	10
4595	4	Ks500S	12	4665	2	Ks500S	10
5380	2	Ks500S	12	5380	2	Ks500S	16
5585	2	Ks500S	10				

JÄRNALISTI - BEYGD JÄRN						
Hlut.nr.	Þver-mát	Klippilengd	Samt	Skissa - mál í mm	Stál-gæði	Rad
	10	980	34	500	Ks500S	20

Einingaverksmiðjan hf
 Breiðhóli 10
 110 Reykjavík
 TF.587-7770

BR.	NR.	LÝSING	DAGS.	SAMP.
		Framleiðsluteikning		
Hrauntröð 48 Vestmannaeyjar		Útveggir	TEKNAÐ/NAHNAÐ	YFIRFARIÐ
VERK NR. 1053AA		SDP	TEKNAÐ NR.	1:40
			TEKNAÐ NR.	U103